

---

*Library of Congress Cataloging-in-Publication Data*

Fundamentals of petroleum. — 5th ed.

p. cm.

Includes bibliographical references and index.

ISBN 0-88698-231-6 (alk. paper)

1. Petroleum.

TN870.F86 2010

665.5—dc22

2010044626

---

### **Disclaimer**

Although all reasonable care has been taken in preparing this publication, the authors, the Petroleum Extension Service (PETEX) of The University of Texas at Austin, and any other individuals and their affiliated groups involved in preparing this content assume no responsibility for the consequences of its use. Each recipient should ensure he or she is properly trained and informed about the unique policies and practices regarding application of the information contained herein. Any recommendations, descriptions, and methods in this book are presented solely for educational purposes.

© 2011 by The University of Texas at Austin—PETEX

All rights reserved

First edition published 1979.

Fifth edition 2011.

Printed in the United States of America

This book or parts thereof may not be reproduced in any form and the commercial use of this content are strictly prohibited without the express permission of Petroleum Extension Service, The University of Texas at Austin. PETEX publications contain copyrighted material. Users may not resell, assign, distribute, or transfer all or part of this content to reuse in any way; or create derivative works from this content without explicit permission from the copyright owner.

Brand names, company names, trademarks, or other identifying symbols appearing in illustrations or text are used for educational purposes only and do not constitute an endorsement by the author or publisher.

Catalog No. 1.00050

ISBN 0-88698-231-6

978-0-88698-231-7

*The University of Texas at Austin is an equal opportunity institution.*

*No state tax funds were used to print this book.*

***Editor: Debby Denehy***

***Graphic Designer: Debbie Caples***

***Cover Art: E. K. Weaver***

# Contents

Figures	xi
Tables	xxviii
Foreward	xxix
Preface	xxxix
Acknowledgments	xxxiii
Units of Measurement	xxxiv
How to Use This Book	xxxvi
<b>Introduction</b>	<b>1</b>
The Demand for Oil	1
From Past to Present	2
What Does the Future Hold?	4
<b>PART 1. Exploration</b>	<b>7</b>
The Authors	8
<b>1.1 Petroleum Geology</b>	<b>9</b>
Basic Concepts of Geology	10
Plate Tectonics	11
Folds	15
Faults	18
Life on Earth	21
Categorizing Rocks	22
Accumulations of Petroleum	25
Origin of Petroleum	25
Porosity and Permeability of Oil-Bearing Rocks	27
Migration of Petroleum	29
Traps	30
Reservoir Fluids	<b>36</b>
Water	37
Oil	37
Natural Gas	38
Distribution of the Fluids	39
Reservoir Pressure	39
Normal Pressure	39
Abnormal Pressure	41
Summary	42
<b>1.2 Petroleum Exploration</b>	<b>43</b>
Surface Geographical Studies	43
Aerial Photographs and Satellite Images	43
Oil and Gas Seeps	45
Collecting Data	46
Private Company Libraries	46
Public Agency Records	46
Databases	46
Geophysical Surveys	47
Magnetic and Electromagnetic Surveys	48
Magnetometer Surveys	48
Magnetotellurics	48
Gravity Surveys	49
Seismic Surveys	50
Ocean Bottom Cable Systems	57

Reservoir Development Tools	59
Well Logs	59
Sample Logs	62
Drill Stem Test	64
Strat Test	64
Stratigraphic Correlation	65
Maps	66
Data, Software, and Modeling Technology	69
Summary	73
1.3 Mineral Rights and Leasing	75
Leasing of Lands	77
U.S. Federal Government Land	80
The First Leases	82
Court Rulings on Oil Migration	83
Government Regulations	84
Ownership in the United States	84
The Language of Leasing	87
The Mineral Estate	88
Leasing Privately Owned Lands	90
Determining Ownership	91
Clearing the Title	93
Establishing the Contract	94
Provisions of the Lease	94
Executing a Lease	98
Summary	101
<b>PART 2. Drilling</b>	103
The Authors	104
2.1 Drilling Operations	107
A New Era in Energy	107
The 1840s	108
The 1850s	109
The Late 1800s	110
Other Parts of the World	110
The 1900s and Spindletop	114
The Power of Cable-Tool Drilling	116
The Success of Rotary Drilling	118
Drilling Today	120
Oilfield Metallurgy	121
Drilling Personnel and Contracts	127
Drilling Systems	131
The Hoisting System	133
The Rotating System	145
Drilling Assembly	154
The Circulating System	158
The Power System	164
Drill Site Procedures	169
Preparing the Drill Site	169
Rigging Up	172
Spudding In	173
Tripping Out	176
Running Surface Casing	180

Cementing the Casing	182
Tripping In	184
Controlling Formation Pressure	187
Intermediate Casing	187
Expandable Casing	188
Drilling to Final Depth	188
Evaluating Formations	188
Complete or Abandon	201
Other Land Operations	202
After Drilling	202
Offshore Drilling	203
A Look Back	203
Modern Offshore Operations	206
Mobile Offshore Drilling Units	206
Offshore Drilling Platforms	214
Controlled Directional Drilling	221
Offshore Directional Wells	223
Onshore Directional Wells	224
Other Applications	225
Tools and Techniques	227
The Use of Mud Density	234
Managed Pressure Drilling and Density	237
Unconventional Drilling	244
Steam-Assisted Gravity Drainage	245
Air or Gas Drilling	246
Fishing	248
Freeing Stuck Pipe	248
Retrieving Twisted-Off Pipe	253
Fishing for Junk	254
Summary	254
2.2 Well Control	257
An Out-of-Control Well	257
First Line of Defense	258
Wellbore Pressure	260
Summary	268
2.3 Drilling Safety	269
Common Hazards	270
Preparing the Drill Site	273
Installing the Rig	274
Drilling Ahead	276
Blowouts	277
Completing the Well	278
Summary	278
<b>PART 3. PRODUCTION</b>	279
The Authors	280
3.1 Production Practices	281
The Early Days	282
Completion	282
Pumping	283
Storage and Handling	283
Well Completion	284

Production Casing and Liners	284
Completion Types	286
Tubing and Packers	290
The Wellhead	296
<b>Initiating Flow</b>	301
Stimulation	302
Explosives	302
Hydraulic Fracturing	303
Acidizing	305
<b>Artificial Lift</b>	307
Beam Pumping	307
Electric Submersible Pumps	309
Subsurface Hydraulic Pumps	310
Progressing Cavity Pumps	311
Gas Lift	311
Plunger Lift	312
<b>Reservoir Drive Mechanisms</b>	313
Depletion Drive	313
Water Drive	315
Gravity Drainage	316
Combination Drives	317
<b>Well Testing</b>	317
Potential or Production Tests	317
Bottomhole Pressure Test	318
<b>Improved Recovery Techniques</b>	318
Waterflooding	320
Immiscible Gas Injection	321
Miscible Gas Injection	321
Chemical Flooding	322
Thermal Recovery	323
<b>Surface Handling of Well Fluids</b>	325
Separating Liquids from Gases	326
Removing Free Water	327
Treating Oilfield Emulsions	328
Types of Emulsion Treaters	330
Handling Natural Gas	332
Storing Crude Oil	339
Oil Sampling	341
Measuring and Testing Oil and Gas	342
LACT Units	344
Gas Sampling	345
Gas Testing	346
Gas Metering	346
<b>Well Service and Workover</b>	349
Service and Workover Equipment	349
Well Servicing and Repair	356
Workover Operations	359
<b>Summary</b>	363
<b>3.2 Remote Production</b>	365
<b>Offshore Production Platforms</b>	365
Offshore Completions	368
Offshore Fluid Handling	370
Arctic Production	371

Summary	373
<b>3.3 Production Safety</b>	<b>375</b>
Most Common Hazards	376
Controlling Hazards	379
Summary	381
<b>PART 4. Transportation and Refining</b>	<b>383</b>
The Authors	384
<b>4.1 Transportation</b>	<b>385</b>
Early Methods of Transportation	386
Wagons and Water	387
Rails and Tank Cars	388
The First Oil Pipelines	389
Gas Transmission Pipelines	393
Ships at Sea	395
Tank Trucks	396
Railway Systems	397
Petroleum Products Transported by Rail	397
U.S. Government Regulation	399
Tank Car Design and Manufacture	399
Safety	400
Tank Car Strings and Unit Trains	400
Motor Transportation	402
Types of Vehicles	402
Crude Oil Trucks	403
Refined Products Transport	403
Liquefied Petroleum Gas Transport	405
Government Regulation	405
Marine Transportation	406
Inland Waterways	406
Barges	406
Tugboats	407
Towboats	407
Oceangoing Tankers	408
Supertankers	409
Average-Size Tankers	410
Icebreaking Tankers	411
Natural Gas Tankers	412
Loading and Offloading Facilities	414
Crude Oil Pipelines	415
Field Gathering Systems	417
Pump Station Operation	418
Control of Oil Movements	423
Measurement and Quality Assurance	425
Oil Accounting	425
Products Pipelines	426
Control of Products Movement	427
Batching	428
Other Types of Liquid Pipelines	429
State and Federal Regulations	429
Regulatory Environment	429

<b>Natural Gas Pipelines</b>	430
Modern Transmission Systems	430
Conditioning and Compressors	432
Automation	433
Odorants	434
<b>Pipeline Construction on Land</b>	434
Assembling the Spread	435
Clearing Right-of-way	436
Ditching	438
Stringing Pipe	440
Bending Pipe	441
Aligning and Welding Pipe	442
Coating and Wrapping Pipe	443
Lowering in and Backfilling	444
Specialty and Tie-In Crews	446
Cleanup and Restoration	448
Testing and Commissioning	449
<b>Offshore Pipeline Construction</b>	449
Conventional Lay Barges	450
Bury Barges	453
Superbarges	454
Semisubmersible Barges	454
Reel Vessel	454
<b>Economics and Safety</b>	456
<b>Liquefied Natural Gas</b>	458
History of the LNG Industry	458
Links of the LNG Chain	462
Baseload LNG Plant	464
LNG Receiving Terminals	466
LNG Ships	467
<b>Summary</b>	468
<b>References</b>	469
<b>4.2 Refining and Processing</b>	471
<b>The Early Days</b>	473
<b>Structure of Hydrocarbons in Oil and Gas</b>	476
Paraffins	478
Isomers	478
Aromatics	478
Naphthenes	480
Olefins	480
Other Elements	480
<b>Refining Crude Oil</b>	481
Assays	482
Refining Processes	483
<b>Petrochemicals</b>	507
Types of Petrochemicals	507
A Petrochemical Plant	509
<b>Refining Capacity</b>	515
Products Sales and Distribution	515
Environmental Considerations	516
<b>Summary</b>	518

4.3	Gas Processing	519
	Recovering NGL Mixtures	520
	Straight Refrigeration	521
	Cryogenic Recovery	522
	Oil Absorption	524
	Dry Bed Adsorption	525
	Fractionation of NGLs	526
	Summary	527
<b>PART 5.</b>	<b>The Changing Market</b>	<b>529</b>
	The Authors	530
5.1	Petroleum Economics	531
	The Economics of Creating New Supplies	533
	Business Model Overview	533
	Integrated and Independent Energy Companies	536
	Investment Decision-Making	539
	Prospect Generation and Evaluation	545
	Summary	562
	References	563
5.2	Environmental, Health, and Safety Concerns	565
	U.S. Laws and Regulations	566
	International Laws and Treaties	570
	Exploration and Production Environmental Impacts	571
	Closed-Loop Drilling System	571
	Synthetic-Based Drilling Fluid	572
	Mud Additives from Waste	573
	Blowouts	574
	Spills from Tankers	575
	Prevention	576
	Cleaning Up the Sea	577
	Cleaning Up the Shore	579
	Cleaning Up Shallow Waters	580
	Pipeline and Transportation Environmental Impacts	580
	Refining Environmental Impacts	583
	Detecting Contaminated Water and Soil	587
	Cleaning Contaminated Soil	587
	From the Environment to the Individual—Health and Safety	590
	Industry Workplace Safety	591
	Industry Incidents	591
	Reducing Injuries	592
	Organizing a Safety and Health Program	596
	Proper Training	602
	Summary	604
	References	605
5.3	Energy Options and Policy	607
	Energy Consumption	609
	Energy Challenges	612
	Environmental Impact	612
	Economic Impact	613
	Security Impact	614
	Analyst Projections	614

---

Energy Attitudes	616
Energy Tradeoffs	618
Question: Paper or Plastic?	618
Balancing Priorities	619
Energy Technologies of the Future	620
Defining Critical Technologies	620
Green Energy Transition	620
Nontechnical Solutions	631
Summary	632
References	633
<b>Appendix</b>	<b>635</b>
<b>Index</b>	<b>663</b>

# Figures

1-1.1	A cross section of the Earth shows its inner and outer cores, the mantle, and the crust.	10
1-1.2	The relative positions of the continents as they have changed over the past 225 million years	11
1-1.3	Oceanic crust is heavier than continental crust.	12
1-1.4	Geologic formations of crust are exposed above the surface as shown in Carbon Creek in Grand Canyon National Park in Arizona (United States).	12
1-1.5	The Mid-Atlantic Ridge is an example of two plates moving apart, forming new oceanic crust as lava rising from beneath the plates hardens.	13
1-1.6	Along the Pacific coast, the North and South American continental plates are forcing the Pacific plate downward.	14
1-1.7	This photo of the Sheep Mountain Anticline shows deformation of the Earth's crust by the buckling of layers into folds.	15
1-1.8	Geologists group folds into anticlines and synclines.	16
1-1.9	Geologists further divide anticlines and synclines by how the folds tilt.	16
1-1.10	A dome might be elongated (A) or circular (B) and some have an intrusive core of salt or other type of rock that pushes up the surrounding rock.	17
1-1.11	A basin is a broad inward dipping feature often tens to hundreds of kilometres across.	17
1-1.12	This view of the San Andreas Fault in California shows a distinct fault line.	18
1-1.13	Several common types of faults are normal dip slip (A), reverse or thrust dip slip (B and C), lateral or strike slip (D), overthrust (E), and growth (F) faults.	19
1-1.14	Two landscape features formed by faults are the graben (A) and the horst (B).	20
1-1.15	Geologic time	21
1-1.16	The weight of overlying sediments and water compacts sediments along with minerals in water creates different cements that alter the rock.	22
1-1.17	Contact and regional metamorphism.	23
1-1.18	The rock cycle changes rocks from one type to another.	24
1-1.19	Abundant sea life helped form petroleum beneath the ocean floor.	25
1-1.20	Increasing pressure also cause temperatures to increase.	26
1-1.21	As the rock reaches a temperature of 150°F (66°C), the kerogen begins recombining with hydrocarbon molecules.	27
1-1.22	When reservoir rock is magnified, its porosity can be seen.	27
1-1.23	When reservoir rock is magnified, its porosity can be seen (blue regions between grains).	28
1-1.24	A rock is permeable when the pores are connected.	28
1-1.25	Basic types of hydrocarbon traps, including (A) anticlinal, (B) fault, (C) unconformity, and (D) impermeable barriers, such as shale surrounding sandstone.	30
1-1.26	Common types of structural traps (shown as dark areas) are fault, anticlinal, and dome plug traps.	31
1-1.27	Oil accumulates in a dome-shaped structure (A) and an anticlinal type of fold structure (B).	32
1-1.28	A nonporous salt mass has formed dome-shaped traps in overlying porous rocks.	32
1-1.29	Discontinuous peripheral traps form around a piercement salt dome.	33

1-1.30	Gas and oil are trapped in a fault trap—a reservoir resulting from normal faulting or offsetting of strata.	33
1-1.31	Structure contour maps show simple (A) and compound (B) faulting.	33
1-1.32	A change of permeability within a rock layer can form a trap.	34
1-1.33	Common types of stratigraphic traps	34
1-1.34	Oil is trapped under an unconformity.	35
1-1.35	Lenticular traps are often formed in buried river sandbars.	35
1-1.36	When hydrocarbons are layered in a reservoir, the water is on the bottom and the gas on the top.	36
1-1.37	Bottom water is below the petroleum in a reservoir (A), and edgewater is at the edge of the oil zone (B).	37
1-1.38	Wetting water usually coats the grains of the reservoir rock.	37
1-1.39	Solution gas stays in solution until a well is drilled into the reservoir.	38
1-1.40	Free gas forms a gas cap.	38
1-1.41	When the petroleum reservoir has a connection to the surface, the pressure is considered normal.	40
1-1.42	Abnormal pressure can occur in formations outcropping higher than the rig elevation.	41
1-2.1	Landsat photos such as this are received by remote sensing systems and processed by computers.	44
1-2.2	Seeps are located either updip or along fractures.	45
1-2.3	Oil and gas naturally rise towards the Earth's surface wherever there is a way up as it did in New Zealand.	45
1-2.4	Seismic exploration takes geophysicists from the jungles of India (top) and the freezing plains of Alaska (bottom).	47
1-2.5	A seismic section indicates boundaries between formations.	50
1-2.6	A 3D seismic image is a cube that shows the types of rock, their depths, and whether a trap with hydrocarbons is present.	51
1-2.7	4C seismic sensor for deep-water geophysical exploration	52
1-2.8	Engineers have developed mechanical impactors and vibrators to create seismic waves that penetrate down into rock layers to be recorded on the surface.	54
1-2.9	The Thumper drops a 6,000 pound steel slab (surrounded by safety chains to warn personnel) 9 feet to strike the earth and create shock waves.	54
1-2.10	The Vibroseis truck has a vibrator mounted underneath it that creates low-frequency sound waves.	55
1-2.11	Geophysical vessels can log hundreds of thousands of miles of geophysical data.	56
1-2.12	Seismic operations at sea use sound to create shock waves that have reflections that are picked up by hydrophones.	56
1-2.13	Onboard computers allow geologists to analyze the seismic data as it comes in.	58
1-2.14	A well log is examined for indications of the presence of hydrocarbons and other fluids in a formation.	59
1-2.15	SP and resistivity logs record natural and induced electrical currents.	61
1-2.16	An acoustic (sonic) log is a curved line that moves horizontally to show the speed of the sound waves and vertically to show the depth.	62
1-2.17	This technician is marking the well core to maintain the order in which pieces came out of the ground.	63

1-2.18	This coring bit drills out a slender column of rock.	63
1-2.19	This stratigraphic cross section shows the presence of sand at various depths over an area of several thousand feet.	65
1-2.20	A structure contour map shows the depth of a formation from the surface.	66
1-2.21	Isopach maps show the thickness of formations based on microlog surveys.	67
1-2.22	Vertical cross section	68
1-2.23	Geoscientists rely on computerized images to indicate whether and where to drill.	69
1-2.24	Maps integrate data to provide clear pictures of geological features.	71
1-2.25	Computer operators can enhance Landsat, seismic, and other graphics to create three-dimensional images in color to highlight certain features.	71
1-2.26	A block diagram represents a section of the Earth showing subsurface strata and surface topography.	72
1-3.1	In most oil-producing nations outside the United States, the mineral rights are owned and controlled by the government.	76
1-3.2	Of the produced worldwide, most rights to the mineral resources are in the hands of central governments.	76
1-3.3	Oil and gas production on federally owned land in the United States from 1996-2001	77
1-3.4	A Texas General Land Office bid application for mineral lease of state land.	78
1-3.5	Map showing land ownership in the state of Alaska	79
1-3.6	Management of U.S. federal government lands.	80
1-3.7	Government owned offshore land in the United States	81
1-3.8	Government mineral-ownership map of Pinedale Resource Management site in Pinedale, Wyoming	85
1-3.9	An oil, gas, and mineral lease in Texas (United States)	86
1-3.10	A landman's job	90
1-3.11	Deed records in courthouse establish property ownership.	91
1-3.12	County records show unbroken title chain over time.	91
1-3.13	Sample runsheet mapping the ownership of mineral rights.	92
1-3.14	An 1835 land patent in Ralls County, Missouri, signed by U.S. President Andrew Jackson	93
1-3.15	Abstract of title traces the history of ownership of a property	93
1-3.16	Hurricane Katrina in the Gulf of Mexico, August 28, 2005, resulted in force majeure delays for the petroleum industry.	97
1-3.17	A farmout on two blocks of Libyan oil and gas basins was acquired by Canadian Occidental Petroleum Ltd. from Bula Resources (Jersey) Ltd., Dublin.	99
2-1.1	Oilwells in Baku, Azerbaijan, in the late 1800s	108
2-1.2	Edwin L. Drake and his good friend Peter Wilson in front of the historic Drake well in 1861	109
2-1.3	Wall cake stabilizes the drilling hole.	114
2-1.4	The 1901 Lucas well is estimated to have flowed about 2 million gallons of oil per day.	115
2-1.5	Cable-tool rig	116
2-1.6	A drill bit	117
2-1.7	Cable-tool drilling rig and derrick	117

2-1.8	Rotary drilling at Spindletop revolutionized the drilling industry.	118
2-1.9	A typical 1920 oilfield of drilling and production operations	119
2-1.10	Drilling fluid, or mud, circulates down through the pipe, out through the bit, and back up the hole.	119
2-1.11	A rotary rig	120
2-1.12	Closeup of metals taken with a high-powered microscope: etched cast iron microstructure (left) and alloy steel 4140 quenched and tempered martensite (right)	122
2-1.13	Example of a stress vs. strain curve	123
2-1.14	Corroded pipe (A) and magnified corrosion pits (B)	125
2-1.15	It takes a well-trained, highly skilled crew to run a drilling operation.	127
2-1.16	Modern land rig	131
2-1.17	Modern offshore rig	132
2-1.18	Schematic of rotary land rig with drill stem and bit on the bottom of the drilling hole.	132
2-1.19	Similar to the action of a drilling winch, a windlass hoists a bucket with water from a well.	133
2-1.20	The hoisting system of a rotary rig is shown without the derrick.	133
2-1.21	A derrick has four distinct legs.	135
2-1.22	A mast being transported.	135
2-1.23	Transocean's Discoverer Spirit drillship with dual-activity derricks	136
2-1.24	This supply reel mounted on the derrick floor supplies wire rope for the rig.	137
2-1.25	Drilling line passes through the sheaves (top) and the traveling block (bottom).	138
2-1.26	A deadline anchor on the rig's substructure holds the deadline in place.	139
2-1.27	The drawworks on the rig floor contains the drum and other equipment in a steel housing unit.	139
2-1.28	The drilling line on the drawworks	140
2-1.29	The driller's console controls the power, transmission, and brakes of the hoisting system.	141
2-1.30	Makeup cathead attached to a catshaft	142
2-1.31	Tongs	142
2-1.32	An air hoist moves heavy equipment around the rig floor.	143
2-1.33	Schematic of rotary table equipment from the surface to the bottom of the hole	145
2-1.34	The hook on the bottom of the traveling block is about to be latched onto the bail of the swivel.	146
2-1.35	The kelly passes through the kelly bushing, which fits into the master bushing of the rotary table.	147
2-1.36	Various designs of slips have gripping dies that keep pipe and casing from falling into the hole.	148
2-1.37	With the drill string in the slips, the top drive is hoisted into position to pick up a new stand of pipe.	149
2-1.38	Floorhands set the lower end of the stand of pipe off to one side of the rig floor.	150
2-1.39	Crewmembers latch onto drill pipe with breakout tongs.	152
2-1.40	Drill collars racked in front of drill pipe on the rig floor	154

2-1.41	Tool joints are threaded connections like the pin-ends in this photo.	155
2-1.42	Tool joints have a pin connection and a box connection.	155
2-1.43	Roller cone (A) and diamond bits (B)	156
2-1.44	Each cone of a roller cone bit rotates on its axis.	156
2-1.45	Each cone rotates on ball and roller bearings (A) or journal bearings (B) or both.	157
2-1.46	The circulating system consists of a number of components, all of which serve to get mud down the hole and back to the surface.	158
2-1.47	The mud pump pumps drilling fluid into the hole.	159
2-1.48	Drilling rig floor	160
2-1.49	A shale shaker removes cuttings carried to the surface by the mud.	161
2-1.50	Additional circulating equipment can include a degasser, desilter, and desander, located over the mud pits downstream from the shaker.	162
2-1.51	Three diesel engines power this rig.	164
2-1.52	Three diesel engines and the compound send power to the drawworks and mud pumps.	165
2-1.53	This diesel engine drives an alternating current electric generator.	166
2-1.54	Controls in the SCR house where AC electricity is converted to the correct DC voltage for the many DC motors powering this rig.	166
2-1.55	SCR electrical power system diagram	167
2-1.56	Motor-driven drawworks	168
2-1.57	Powerful electric DC traction motors driving the drawworks	168
2-1.58	Reserve pit	169
2-1.59	A concrete pad to support the substructure surrounds this cellar.	170
2-1.60	This rathole is storing the kelly when it is not being used.	171
2-1.61	A mast is raised to the upright position using the drawworks.	172
2-1.62	This heavy-lift vessel is transporting this rig to its offshore location.	173
2-1.63	Making a connection with a kelly	174
2-1.64	Making a connection with a top drive	175
2-1.65	While tripping out with a rotary table system, the kelly and related equipment rest in the rathole.	177
2-1.66	The open elevator has a latch and comes in several sizes and weight ratings.	177
2-1.67	Standing on the monkeyboard high in the mast, the derrick-hand guides a stand of pipe into the fingerboard.	177
2-1.68	Several centralizers and scratchers are installed on the casing to aid in cementing.	180
2-1.69	The guide shoe is made up on the bottom of the first joint of casing to go into the hole.	180
2-1.70	Casing stacked for use in this drilling operation.	181
2-1.71	The crew runs surface casing into the hole.	181
2-1.72	This diagram of a casing cementing job shows the route of the slurry as well as the role played by the various cementing accessories.	183
2-1.73	After the cement hardens, tests indicate whether the cement has bonded with no voids between the casing and hole.	183
2-1.74	Crewmembers making a connection	184

2-1.75	Using a top drive, the crew stabs and makes up the joint of drill pipe and the motor turns the drill stem and the bit.	185
2-1.76	An Iron Roughneck™ spins and bucks up joints with built-in equipment.	186
2-1.77	Intermediate casing fits inside the surface casing, and the production casing fits inside the intermediate casing.	187
2-1.78	Cuttings retrieved from the shale shaker are examined by the mud logger.	189
2-1.79	Drillers running wireline to measure formation properties and record, or log.	189
2-1.80	An electric log is one type of log that helps determine whether oil and gas are present in a drilled formation.	190
2-1.81	Measurement while drilling system	191
2-1.82	Schematic of the mud siren technique of MWD/LWD data transmission	193
2-1.83	Data from downhole being decoded into digital form for display and recording at the surface in an Anadrill logging unit	194
2-1.84	Bottomhole assembly cross-section, side view	195
2-1.85	Bottomhole assembly cross-section, top view	195
2-1.86	Integrated LWD/MWD measurement system in coiled tubing drilling bottomhole assembly.	196
2-1.87	This small magnetometer can sense the relationship of the well azimuth to the Earth's magnetic field.	197
2-1.88	Final assembly area: 6.75-inch, 4.75-inch resistivity collars in process	199
2-1.89	Seadrill SSETR or semisubmersible self-erecting tender rig	204
2-1.90	The first mobile drilling rig was a posted barge submersible designed to drill in shallow water.	205
2-1.91	Types of MODUs	206
2-1.92	When flooded, the bottles cause a bottle-type submersible to rest on the seafloor.	207
2-1.93	A concrete island drilling system features a reinforced concrete caisson with a steel base.	207
2-1.94	The hull of a jackup is raised well above the water surface before drilling begins.	208
2-1.95	An inland barge rig at work	209
2-1.96	The Deepwater Pathfinder drillship travels to a remote drill site.	210
2-1.97	Dynamic positioning systems use global positioning systems (GPS) and hydrophones to measure the vessel's position and send computer-controlled commands to thrusters to hover over the wellhead.	211
2-1.98	Dynamic positioning systems have computerized controls on board the vessel.	211
2-1.99	A semisubmersible drilling unit floats on hulls that are flooded and submerged just below the water surface.	212
2-1.100	A column-stabilized semisubmersible rests below the waves and waterline while drilling.	213
2-1.101	A self-contained platform such as the Thunderhorse in the Gulf of Mexico houses drilling and production equipment and facilities for the crew.	214
2-1.102	Constructed on its side, and loaded onto a transportation and installation barge, this jacket will be towed offshore and launched at the installation site, and set using a derrick barge.	215
2-1.103	A large crane hoists a deck section onto the jacket.	215

2-1.104	A concrete gravity platform is so heavy that gravity holds it in place.	216
2-1.105	These steel-caisson platforms rest in the Cook Inlet of Alaska.	217
2-1.106	This relatively light-weight jacket of a guyed-tower platform is supported by several guy wires and clump weights.	218
2-1.107	Steel tendons are kept in tension by the buoyancy of the platform on a tension-leg platform.	219
2-1.108	The Genesis spar platform in the Gulf of Mexico	220
2-1.109	Deviated wells can reach places conventional straight wells cannot.	222
2-1.110	Several directionally drilled wells can tap multiple reservoirs.	223
2-1.111	Qatar's largest offshore oilfield: Al Shaheen	224
2-1.112	Some of the applications of directional wells	225
2-1.113	A long section of a horizontal well can pass through the oil in the reservoir.	226
2-1.114	This horizontal well reaches several oil-containing vertical fractures.	226
2-1.115	Drill collars placed at the end of the drill string in a horizontal well would not add weight to the bit.	227
2-1.116	Here, the drill collars are below the vertical section of pipe and above the horizontal section.	228
2-1.117	Mud motor section showing the flow path and the shaft (rotor) and housing (stator).	228
2-1.118	Bent sub	229
2-1.119	Steerable motor	229
2-1.120	Three-dimensional well	231
2-1.121	Push-the-bit rotary steerable	231
2-1.122	Point-the-bit rotary steerable	231
2-1.123	Types of multilateral well architectures	232
2-1.124	Multilateral wells TAML classification	233
2-1.125	Limits of mud density in a well	235
2-1.126	In some wells, the pore pressure approaches the fracture pressure.	236
2-1.127	Static mud column versus pumping mud column with lost circulation	237
2-1.128	Controlling bottomhole pressure with surface choke and RCD	238
2-1.129	Constant circulating sub	239
2-1.130	Underbalanced setup showing compressors, oil storage, and flare line	240
2-1.131	Different gas volumes in a gaseated hole	242
2-1.132	Gaseous systems: methods of adding gas (A) parasite string, (B) bull heading; (C) jet sub, and (D) dual-casing string	242
2-1.133	Different foam volumes	243
2-1.134	Since SAGD drilling techniques were introduced, production efficiencies have increased in heavy oil reserves.	245
2-1.135	Skid-mounted compressors furnish the high-pressure air used on this rotary rig for drilling (top). The air is blowing a cloud of dust out the blooey line (bottom).	247
2-1.136	A keyseat	249
2-1.137	A. A free-point indicator locates stuck pipe. B. Diagram showing forces at work during differential sticking.	251
2-1.138	A backoff connector is used on stuck pipe inside the washover pipe to keep the drill pipe from falling when freed.	251

2-1.139	An overshot and spear are two commonly used tools for retrieving fish.	253
2-2.1	A blowout and resulting fire at Greenhill Well in Timbalier Bay, Louisiana	257
2-2.2	Blowouts are dangerous, destructive, and avoidable if warning signs are recognized by watchful workers.	259
2-2.3	Hydrostatic pressure in a wellbore holds back formation pressure.	260
2-2.4	Typical land BOP stack	261
2-2.5	Types of annular blowout preventers: Hydril GL (left), Hydril GK small (center), Hydril GX (right)	262
2-2.6	Cutaway diagram of a pipe ram	262
2-2.7	A subsea BOP	263
2-2.8	Choke manifold	265
2-2.9	A positive adjustable choke with tungsten carbide wear surfaces	265
2-2.10	Remote choke panel with hydraulic module	265
2-2.11	Quality well control training is not only essential for rig workers but also important for all personnel involved in various aspects of drilling and production operations.	267
2-3.1	Drilling rigs present potential hazards for all workers on site.	269
2-3.2	Blowouts such as this can release hazardous gas that can quickly harm workers.	270
2-3.3	Handrails are essential safety devices on all drilling rigs.	271
2-3.4	<b>Don't:</b> Some rig workers perform risky tasks high above the rig floor but safety harnesses should be worn and not left on deck.	272
2-3.5	<b>Do:</b> Safety harnesses are required when performing any elevation work.	272
2-3.6	A rathole rig drills the first part of the hole.	273
2-3.7	Workers are assembling a land rig in the U.S. Permian Basin of Texas.	274
2-3.8	The construction of rigs involves tasks that must be performed high above the ground, making safety a primary concern.	275
2-3.9	Crewmembers lower the bit into a surface hole.	276
2-3.10	Safety is top priority; proper training and communication are key components of safe operations.	278
3-1.1	Running a pipe to line the sides of a well and sealing off the outside of the pipe near the bottom prevented fluids from the formations near the surface from entering the well.	282
3-1.2	Wooden barrels were the first containers for produced oil.	283
3-1.3	Conductor, surface, intermediate, and production casing are cemented in the well.	284
3-1.4	A production liner is cemented in place but hangs from the bottom of the intermediate casing rather than extending to the surface.	285
3-1.5	An open-hole completion allows reservoir fluids to flow into an uncased hole.	286
3-1.6	A perforating gun creates holes in the producing casing or liner, allowing fluids from the formation to enter the well.	288
3-1.7	Tubing is smaller in diameter than casing.	290
3-1.8	A packer between the casing and tubing keeps well fluids out of the tubing-casing annulus.	291
3-1.9	The slips grip the walls of the casing to hold the packer in place.	292
3-1.10	A packer can have one sealing element or several separated by metal rings.	292

3-1.11	A multiple completion, such as this triple completion, usually has a separate tubing string and packer for each producing zone.	293
3-1.12	Subsurface safety valve	294
3-1.13	A wire-wrapped screen, or screen liner, is often combined with a gravel pack inside perforated casing.	295
3-1.14	A gravel pack screen	295
3-1.15	Valves on the Christmas tree control the flow of fluids from the well.	296
3-1.16	This cutaway of a wellhead shows its inner workings.	297
3-1.17	High-pressure connector cutaway view	299
3-1.18	Subsea production tree	300
3-1.19a	Powerful truck-mounted pumps perform fracturing at the well site.	303
3-1.19b	Reservoir fluids flow into the fracture and the well.	303
3-1.20	Sand is one proppant used to hold fractures open.	304
3-1.21	Acid enlarges existing channels or makes new ones.	305
3-1.22	Beam pumping units like this one are a common sight in certain areas where oil is present.	307
3-1.23	A beam, or rod, pumping unit has many components.	308
3-1.24	An electric submersible pump	309
3-1.25	Hydraulic pumping system with components on the surface and in the well	310
3-1.26	In a gas-cap drive reservoir, the free gas in the cap and the gas dissolved in the oil expand to move oil up to the surface.	314
3-1.27	In a solution-gas drive reservoir, gas comes out of the oil, expands and lifts it to the surface.	314
3-1.28	In a water-drive reservoir, saltwater under the oil pushes the oil to the surface.	315
3-1.29	Water at the edges of the reservoir helps drive the oil into the wellbore.	315
3-1.30	Eventually, the water level rises to the bottom of the well in a water-drive reservoir.	315
3-1.31	In a gravity-drainage reservoir, the oil flows downhill to the well.	316
3-1.32	In waterflooding, water is injected into wells around the producing well.	320
3-1.33	Miscible gas injection	321
3-1.34	Chemical flooding uses special chemicals in water to push oil out of the formation.	322
3-1.35	Steam injection involves generating steam and forcing it down injection wells into the reservoir.	323
3-1.36	In fireflooding, a fire is ignited in the reservoir.	324
3-1.37	Steps are necessary to ready oil or gas for sale.	325
3-1.38	Gravity is used to separate well fluids in a vertical separator.	326
3-1.39	A horizontal separator	326
3-1.40	A horizontal, three-phase free-water knockout provides space for the free water to settle out and the gas to rise.	327
3-1.41	An emulsion is made up of two liquids that will not mix together under normal conditions.	328
3-1.42	A bottle test helps determine which chemical is the most efficient demulsifier for a particular emulsion.	329
3-1.43	A vertical heater-treater separates oil-water emulsions.	330
3-1.44	Horizontal heater-treater	331
3-1.45	A gas-hydrate plug taken from an offshore production line	332

3-1.46	Methanol or glycol is injected into the gas stream to prevent hydrate formation.	333
3-1.47	An indirect heater warms the water bath, which in turn warms the gas flowing through the coil assembly.	333
3-1.48	The glycol liquid-desiccant dehydrator unit is skid-mounted.	334
3-1.49	This dehydration system uses liquid glycol as a desiccant.	335
3-1.50	This sweetening unit uses an amine to remove carbon dioxide and sulfur compounds.	336
3-1.51	A low-temperature separation unit separates NGLs produced from a gas well.	338
3-1.52	A battery of stock tanks that temporarily store oil, natural gas liquids, and water after separation.	339
3-1.53	The sampler lowers a thief to obtain an oil sample from a storage tank.	341
3-1.54	A 1-quart (1-litre) beaker is used in bottle sampling.	341
3-1.55	A centrifuge test uses a graduated glass centrifuge tube that is placed in a high-speed centrifuge by which precise percentages of S&W can be read.	343
3-1.56	A hydrometer test	343
3-1.57	A skid-mounted LACT unit is an efficient system for measuring and testing oil.	344
3-1.58	A sample container on a LACT unit holds oil samples automatically taken from the oil stream flowing through the unit.	344
3-1.59	An orifice meter measures differential and static pressures of a stream of flowing gas.	347
3-1.60	Typical well servicing and workover rig	350
3-1.61	Reels of wireline mounted on the back of a truck used for completion and workover jobs	352
3-1.62	Coiled tubing unit	353
3-1.63	A coiled-tubing unit runs tubing into the well using a large reel.	354
3-1.64	This snubbing unit operates with a self-contained hydraulic system.	355
3-1.65	Corroded sucker rods must be replaced to keep the pumping well in good condition.	357
3-1.66	Abrasion damaged these sucker rods and their coupling.	357
3-1.67	A paraffin scraper	358
3-1.68	Macaroni tubing fits inside the production tubing to wash sand out.	360
3-1.69	Coiled tubing also washes sand up the annulus between the production tubing and coiled tubing.	360
3-1.70	One reason to place a cement plug is to shut off a lower producing zone to produce a formation nearer the surface.	361
3-1.71	Squeezing cement through the lower perforations seals them (A, B). Then, the upper part of the zone is perforated (C, D).	363
3-2.1	This self-contained platform, the Hibernia, houses all the drilling and production equipment and facilities for the crew.	365
3-2.2	The hull of a jackup can be raised well above the water's surface.	366
3-2.3	Helicopters and cranes are common sights around an offshore operation.	366
3-2.4	Work boats transport crew and cargo between shore and platform.	367
3-2.5	Example of a small, shallow water production platform	368
3-2.6	In a wet subsea completion, valves and equipment to control the flow of hydrocarbons are placed on the seafloor.	369

3-2.7	A submerged production system connects satellite wells to the production platform for treating and then to a mooring buoy where tankers receive the oil.	370
3-2.8	Arctic production must take into account areas of permafrost shown here in North America.	371
3-2.9	The Alaska pipeline from the North Slope to Valdez harbor is an Arctic engineering masterpiece.	372
3-3.1	Production worker controlling flow of fluids with valve	375
3-3.2	Production personnel must fully understand all aspects of equipment and procedures to ensure safe operations.	376
3-3.3	Driving vehicles and working around hazardous chemicals present dangers for workers.	377
3-3.4	High-pressure gas or liquid escaping from a valve can injure personnel.	377
3-3.5	Workers must wear protective gear when exposed to chemicals.	378
3-3.6	Many production lease activities are accompanied by inherent dangers while working with fluids.	379
3-3.7	Caustic chemicals are commonplace on many worksites.	379
3-3.8	Safety programs include group training to ensure all workers are aware of hazards.	379
4-1.1	The transportation industry is responsible for moving millions of barrels of crude oil daily across land and water to reach processing facilities and consumers.	385
4-1.2	The Oil Creek tributary of the Allegheny River in Pennsylvania (U.S.)	386
4-1.3	Horse-drawn wagons and barges were initially used to move oil to rail and water shipping points.	387
4-1.4	The Densmore brothers patented this early railway tank car design.	388
4-1.5	When denied the right to cross a railroad, one pipeline company used tank wagons to transfer the oil from the pipeline to holding tanks on the other side and then back into the pipeline.	389
4-1.6	An early pipeline pump station used steam power to build sufficient pressure to move the oil.	390
4-1.7	Construction of the cross-country Big Inch pipeline	391
4-1.8	Using bamboo poles, the Chinese were among the first to pipe natural gas.	393
4-1.9	True horsepower was used in early-day construction of gas pipelines and compressor stations.	394
4-1.10	Hand tongs were used by early pipeline construction workers.	394
4-1.11	The Gluckhauf was the first successful oceangoing tanker that carried oil in storage tanks built into its hull.	395
4-1.12	An early tank truck hauls crude oil from the well's wooden storage tank.	396
4-1.13	Tank cars are also used to ship crude oil and refined products to and from refineries.	397
4-1.14	Railcar loading racks for loading and unloading products from tank cars	398
4-1.15	General-purpose rail tank car	399
4-1.16	Conventional tank cars are loaded and unloaded individually while interconnected tank cars can be handled from one loading rack.	400
4-1.17	Interconnected hoses and valves allow the entire train to be loaded and unloaded in short time.	401

4-1.18	A general-purpose fuel tank truck	403
4-1.19	Diamond-shaped placards are used to signal hazardous contents.	404
4-1.20	Tank truck loading rack	404
4-1.21	An LPG transport truck is used to carry propane to various LPG storage units.	405
4-1.22	The draft marks on the side of a barge or ocean vessel indicate how full or empty the vessel is.	406
4-1.23	A tugboat pulls a loaded barge out of the harbor.	407
4-1.24	A towboat has large upright knees on its bow to facilitate pushing.	407
4-1.25	The Seawise Giant, an oceangoing supertanker	409
4-1.26	Tanker for transporting crude oil	410
4-1.27	A double-ended tanker can plow through ice in reverse because of its hardened stern, and travel in open waters with its conventional bow.	411
4-1.28	Azimuth thrusters allow ships to travel backwards with ease and enable steering and docking without the use of rudders.	411
4-1.29	The Arctic Princess, an LNG containment system of Kvaener-Moss design	412
4-1.30	An LNG ship: a Gaz Transport No. 96 membrane containment system	413
4-1.31	The Polar Eagle LNG ship IHI SPB containment system	413
4-1.32	A tanker shuttles down a U.S. coastal waterway.	414
4-1.33	Tankers of various sizes transport North Slope crude oil from the Trans-Alaska Pipeline System at the Valdez Marine Terminal in southern Alaska and deliver it to ports in the lower 48 United States.	415
4-1.34	Cycle of crude transport from the wellhead to the lease tanks and to the consumer	417
4-1.35	Pipeline pumps and motors	418
4-1.36	Alaskan pipeline pump station	418
4-1.37	A gauger measures the volume and draws samples to test before pumping begins.	419
4-1.38	Booster pumps pull oil from storage tanks and move it to the suction of the trunkline pumps.	420
4-1.39	A tank farm is an integral component of a pipeline system.	421
4-1.40	The manifold at a pump station and tank farm permits routing of the oil stream to its destination.	422
4-1.41	Pipeline control room	424
4-1.42	A products pipeline terminal supplies an area of high demand.	426
4-1.43	A dispatcher controls product movement and monitors other operations from the main computer console.	427
4-1.44	A products pipeline runs batches of different products in sequence, similar to this typical cycle.	428
4-1.45	Major U.S. natural gas pipelines connect supply areas and demand centers.	431
4-1.46	A gas pipeline compressor station	432
4-1.47	A gas turbine used in gas compressor stations	433
4-1.48	A control center using numerous automated features monitors and controls the pipeline and keeps tabs on deliveries throughout a gas pipeline system.	433
4-1.49	A clear pipeline right-of-way	436
4-1.50	In this aboveground section of the Trans-Alaska Pipeline, the roadbed along the right-of-way supports working vehicles as well as the pipeline itself.	437

4-1.51	A wheel ditcher leaves a neat spoil bank that aids in rapid backfilling.	438
4-1.52	In aboveground construction, VSMs hold insulated pipe at various heights while special finned radiators and heat pipes draw heat away from the ground.	439
4-1.53	The pipeline contractor strings pipe joints along the right-of-way so they are accessible but do not obstruct spread equipment and work crews.	440
4-1.54	A pipe bending machine	441
4-1.55	Preparing to weld	442
4-1.56	Welders work on opposite sides of the pipe as they make the initial weld on two joints held together by an internal line-up clamp.	443
4-1.57	Side-boom tractors with correctly spaced slings lower pipe into the ditch.	444
4-1.58	Pipeline lowered in the trench.	445
4-1.59	A boring machine pushes casing under a roadbed as its cutting head rotates just inside the front of the casing.	447
4-1.60	Flotation devices support sections of pipe during a river crossing.	447
4-1.61	After construction is completed, the pipeline is then backfilled using as much original dirt as possible, and the land is neatly restored so it can produce vegetation once again.	448
4-1.62	Welding, coating, and inspection are handled at stations on the lay barge.	450
4-1.63	The completed pipeline is lowered into the water by way of an inclined ramp and a stinger.	451
4-1.64	The stinger guides the pipeline safely to the seafloor.	452
4-1.65	High-pressure jets of water from a jet sled dig a trench for a pipeline on the seafloor.	453
4-1.66	A giant spool unreels continuous lengths of line pipe from a reel lay barge.	455
4-1.67	Transportation modes are evident at this ship channel.	457
4-1.68	Distribution of peak-shaving LNG facilities in the United States	459
4-1.69	Typical peak-shaving LNG facility	460
4-1.70	Projected scale of LNG industry	461
4-1.71	Components in LNG monetization chain	462
4-1.72	Trinidad LNG plant where COPOC processes are performed	465
4-1.73	Three types of aboveground LNG tanks	465
4-1.74	Artist drawing of the Sabine Pass LNG, L.P. Regasification Terminal, in western Cameron Parish, Louisiana.	467
4-2.1	A refinery is an organized and coordinated arrangement of processes linked together with miles of pipe carrying crude oil in and products out.	471
4-2.2	Petroleum products are everywhere.	472
4-2.3	World refineries by size	473
4-2.4a	Refineries upgrade crude oil to higher value products	475
4-2.4b	Refineries upgrade crude oil to higher value products	476
4-2.5	Hydrocarbon mix of gasoline.	477
4-2.6	Four types of hydrocarbon structures are paraffins, olefins, naphthenes, and aromatics.	479
4-2.7	A variety of processes is used to convert crude oil into many products, beginning with distillation.	481

4-2.8	A simplified depiction of a refinery's key processes	483
4-2.9	An important job of refineries today is the conversion of oil at "the bottom of the barrel" into gasoline and other more marketable products.	485
4-2.10	Internal distilling process from atmospheric unit	486
4-2.11	Basic refining concepts	487
4-2.12	Distillation curve chart showing the boil-off temperature of crude oil components	487
4-2.13	Lines carry the distilled cuts from different heights to the distillation tower.	488
4-2.14	Flexitrays	489
4-2.15	Vapor passes through bubble caps and settles on trays in the distilling column.	489
4-2.16	This Port Arthur refinery in Texas contains a vacuum distillation unit that fractionates residual oil into light vacuum gas oil, heavy vacuum gas oil, waxes and asphalt and other products.	491
4-2.17	Cat crackers break down gas oils into lighter, more useful products.	492
4-2.18	Texas City thermal cracking operations	493
4-2.19	An alkylation plant is capable of producing 9,200 barrels per day of alkylate.	495
4-2.20	These tanks store n-butane, isobutene, and propane until they are needed as a feedstock or are sold.	496
4-2.21	Catalytic reforming boosts the octane rating of hydrotreated naphtha.	498
4-2.22	Hydrodesulfurization is a catalytic chemical process widely used to remove sulfur from natural gas and from refined petroleum products.	500
4-2.23	Desalter vessel internals (TriGridmax™ unit)	501
4-2.24	Simplified hydrotreating reactor	502
4-2.25	Hydrotreating process	503
4-2.26	Operator looking at blending board.	505
4-2.27	A residual fuel hydrotreater	506
4-2.28	Petrochemicals satisfy the fundamental needs of modern life.	507
4-2.29	Ethylene petrochemical plant	509
4-2.30	Polyethylene is used to make a host of products.	510
4-2.31	This high-powered centrifugal compressor is an example of the huge yet precise equipment in a petrochemical plant.	511
4-2.32	Steam cracking is used to produce ethylene and propylene.	512
4-2.33	Polypropylene is extruded into small bb-size pellets in its finished form.	513
4-2.34	Water treatment and recycling to and from a petrochemical plant or oil refinery	516
4-3.1	A typical gas processing plant	520
4-3.2	Gas turbine-driven propane refrigeration compressor in a natural gas plant	521
4-3.3	The expander process is one way to recover NGLs cryogenically.	522
4-3.4	An expander compressor used for cryogenic natural gas plants made for the El Wastani Field Development Project in Egypt	523
4-3.5	The oil absorption process consists of NGL recovery, methane rejection, and separation of the absorbent.	525
4-3.6	Example of a fractionation plant used to produce three products	526
4-3.7	Fractionation plant	527

5-1.1	Crude oil refinery	531
5-1.2	Gas processing facility	532
5-1.3	Graphical presentation of project cash flow	540
5-1.4	Prospect area map	549
5-1.5	Typical jackup rig used to drill the proposed well off the Texas coast	549
5-1.6	Well awaiting production deck and facilities	550
5-1.7	Installing production deck and facilities	550
5-1.8	Production deck and facilities installed	551
5-1.9	Pipeline installation	551
5-1.10	Structure map to demonstrate the prospect idea	552
5-1.11	Subsurface structure map	552
5-1.12	Seismic cross-section	553
5-1.13	Calculating reservoir area	554
5-1.14	Calculating thickness	555
5-1.15	Production forecast	557
5-1.16	Natural gas price forecast	559
5-2.1	Recovery, transport, processing, and use of petroleum have potential hazards to human health and the Earth's ecology.	565
5-2.2	Smokestacks are often used to cool the exhaust from combustion sources and to provide better air dispersion of emitted pollutants.	566
5-2.3	Operators of offshore rigs must follow EPA regulations concerning any discharges of waste into water.	567
5-2.4	An aquifer is a stratum of rock, sand, or gravel that holds enough water to supply wells or springs often used as a source of drinking water.	568
5-2.5	The Outer Continental Shelf of the United States is leased to petroleum companies by the U.S. Department of the Interior.	569
5-2.6	Waste disposal containers must be clearly labeled according to OSHA regulations.	569
5-2.7	Water pits used for drilling fluids	571
5-2.8	Oil floating on top of drilling fluids that have been returned to the surface.	572
5-2.9	Mud chemicals to be used as additives	573
5-2.10	A derrickhand wearing personal protective equipment adds dry components to the mud.	573
5-2.11	Water supply vessels combat the fire on the Deepwater Horizon while the U.S. Coast Guard searches for missing workers.	574
5-2.12	Pooled oil from the Exxon Valdez sitting between rocks on the shore.	575
5-2.13	A boom is a flexible air-filled bag that prevents spilled oil from spreading further.	577
5-2.14	The skimmer and boom swing over the side of the boat to enclose and suck up the oil.	578
5-2.15	Wildlife such as the birds can suffocate when covered with oil.	579
5-2.16	Health, Safety, and Environment workers were contracted to clean up oil on the beaches in Port Fourchon, Louisiana, in May 2010 following the Deepwater Horizon/BP oil spill.	579
5-2.17	Detecting a leak in an underground pipeline.	581
5-2.18	Accurately detecting leaks in pipelines can be costly and difficult.	581
5-2.19	A bioreactor uses microorganisms to remove impurities from the water.	583

5-2.20	A blower extracts the volatile components from soil contaminated with oil.	587
5-2.21	Chemicals mixed with water and sprayed into the soil leach contaminants from the soil and into a recovery well.	588
5-2.22	In biodegradation on site, groundwater is pumped to the surface, fertilizer is added, and then the groundwater is returned to the soil.	589
5-2.23	Workers on oil rigs are exposed to numerous hazards.	592
5-2.24	Proper signs help reinforce potential danger areas in the workplace.	594
5-2.25	PPE helps prevent employee injuries or illnesses due to physical, chemical, electrical, or mechanical hazards.	594
5-2.26	Checking the safety of electrical equipment	596
5-2.27	Monitoring the control system to ensure safe operations of a facility	597
5-2.28	All workers should receive training in safe work practices.	597
5-2.29	Procedures manuals and checklists assist in checking job site hazards.	598
5-2.30	Contractors must have well-documented, positive safety records to be considered to work on drilling and production operations.	601
5-2.31	Training programs ensure employees maintain a safe workplace.	602
5-2.32	Company safety meeting in progress	603
5-3.1	The global and United States energy mix is diverse, although fossil fuels satisfy more than 80% of the world's primary energy resources.	607
5-3.2	The fuels for electricity generation in the United States are diverse, with coal providing about half.	608
5-3.3	The percentage contribution to cumulative CO <sub>2</sub> emissions, 1850–2005, from different countries or regions reveals the United States to be the dominant historical contributor of CO <sub>2</sub> emissions to the atmosphere.	610
5-3.4	High energy consumption causes impacts to the environment.	611
5-3.5	To deliver electricity, power plants must draw significant resources to distribute energy.	612
5-3.6	Gasoline prices directly impact households in terms of behavior.	613
5-3.7	Projections reveal expectations for continued growth in overall energy consumption in the United States with little substantive change to the overall fuel mix, despite aggressive growth for renewable power.	615
5-3.8	Projections show expectations for continued growth in overall energy consumption.	615
5-3.9	The average daily petroleum imports in millions of barrels per day for the United States and China have shown similar patterns of growth over the last 12 years.	616
5-3.10	Paper or plastic?	618
5-3.11	Three energy policy priorities: national security, economics and supply, and the environment.	619
5-3.12	CO <sub>2</sub> from smokestacks and refineries can be captured and permanently injected in the ground.	623
5-3.13	Carbon sequestration cycles	624
5-3.14	Map of population density of the United States by state.	626

- 
- 5-3.15 This map of wind resources at 50 miles above the Earth's surface in the United States shows that wind resources are generally located away from population centers. 626
- 5-3.16 A map of solar photovoltaic insolation shows a phenomenon similar to that of wind in that solar resources are generally located away from population centers in the United States, with the exception of large southwest cities in Arizona, Nevada, and California. 627
- 5-3.17 Wind and solar energy farms around the world help supply renewable energy options. 628
- 5-3.18 Algae are resilient and easy to grow in both brackish and fresh water. 629

# Tables

3-1.1	Improved Recovery Methods	319
4-1.1	Modes Used for Petroleum Transportation	457
4-2.1	World Petroleum Supply and Demand	474
4-2.2	U.S. Petroleum Supply and Demand	474
4-2.3	Refinery Processes	484
4-2.4	Temperatures at which Common Fractions are Produced	490
4-2.5	Some Petrochemicals, Feedstocks, and Final Products	514
4-2.6	Petroleum Constituents	517
5-1.1	Supply Chain Business Units	533
5-1.2	Simplified Financial Model of Cash Flow	539
5-1.3	Blank Spreadsheet for Upstream Business Unit Prospects	542
5-1.4	Completed Spreadsheet for Upstream Business Unit Prospects	560
5-2.1	EPA's Original List of HAPs	585
5-3.1	Countries and Total Energy Use	609
5-3.2	Technologies, Energy, Use, and Impact	621