
Figures	vi
Tables	xiv
Preface	xv
About the Author	xvii

Contents

1	Introduction	1
2	History	7
	The Drake Well, 1850s	9
	California, Late 1800s	10
	The Lucas Well, 1901	11
	The Middle East, 1900s	13
3	Cable-Tool and Rotary Drilling	15
	Cable-Tool Drilling	15
	Rotary Drilling	16
	Rotating Systems	18
	Fluid Circulation	19
4	Rotary Rig Types	21
	Land Rigs	22
	Mobile Offshore Rigs	23
	Bottom-Supported MODUs	24
	Floating Units	30
5	People and Companies	37
	Operating Companies	38
	Drilling Contractors	39
	Drilling Contracts	39
	Service and Supply Companies	40
	People	44
	Drilling Crews	44
	Drilling Crew Work Shifts	50
	Crew Safety	50
	Other Rig Workers	51
6	Oil and Gas: Characteristics and Occurrence	55
	Natural Gas	55
	Liquefied Natural Gas (LNG)	56
	Liquefied Petroleum Gas (LPG)	56
	Natural Gas Liquid (NGL)	57
	Crude Oil	57
	Refined Hydrocarbons	57
	Oil and Gas Reservoirs	58
	Characteristics of Reservoir Rocks	58
	Origin and Accumulation of Oil and Gas	60
	Petroleum Traps	61
	Types of Wells	69
7	The Drill Site	71
	Choosing the Site	71
	Preparing the Site	73

	Surface Preparation	73
	Earthen Pits	73
	Cellars	77
	Rathole	77
	Mousehole	79
	Conductor Hole	80
	Moving Equipment to the Site	82
	Moving Land Rigs	82
	Moving and Setting Up Offshore Rigs	84
8	Rigging Up	85
	Substructures	85
	The Drawworks	88
	Raising the Mast or Derrick	89
	Derrick and Mast Heights	90
	Mast Load Ratings	91
	Rigging Up Additional Equipment	91
	Offshore Rig-Up	92
9	Rig Components	93
	Power System	93
	Mechanical Power Transmission	97
	Electrical Power Transmission	97
	Hoisting System	100
	The Drawworks	101
	The Catheads	102
	The Blocks and Drilling Line	104
	Mast and Derricks	109
	Rotating Systems	110
	Rotary-Table System	110
	Top Drive	117
	Downhole Motors	118
	The Drill String	120
	Bits	122
	Circulating System	126
	Drilling Fluid	126
	Circulating Equipment	128
10	Normal Drilling Operations	135
	Drilling the Surface Hole	135
	Tripping Out with a Kelly System	148
	Tripping Out with a Top-Drive Unit	152
	Tripping Out with a Pipe Racker	152
	Running Surface Casing	154
	Cementing	158
	Tripping In	160
	Drilling Ahead	162
11	Formation Evaluation	163
	Examining Cuttings and Drilling Mud	163
	Well Logging	165

Drill Stem Testing	168
Coring	170
12 Completing the Well	173
Plugging and Abandoning a Well	173
Completing a Producing Well	173
Production Tubing	174
Perforating	176
Well Testing and Treating	177
Acidizing	177
Fracturing	177
Gravel Packing	178
13 Special Operations	179
Directional Drilling	179
Slide Drilling with a Motor	180
Rotary Steerable Assemblies	181
Fishing	181
Well Control	183
14 Rig Safety and Environmental Concerns	189
15 Conclusion	191
Appendix 1: Units of Conversion	193
Appendix 2: Figure Credits	195
Glossary	207
Index	233

Figures

1. Drilling rigs are large to accommodate the size of the drilling equipment and pipes. 1
2. ConocoPhillips Britannia platform in the North Sea 2
3. Drilling rig with a mast height of 147 feet (45 metres) 2
4. Personal protective equipment (PPE) includes hard hats, gloves, hearing protection, and safety glasses. 3
5. Steel stairways with handrails are used to get to the drilling rig floor. Note the drill pipe on the ramp at right. 4
6. The drawworks is part of the hoisting system used to lift drill pipe into place. 5
7. Whaling ships in New Bedford, Massachusetts. The barrels in the foreground are filled with whale oil. 7
8. Oilwells in Balakhani, a suburb of Baku, Azerbaijan, in the late 1800s 8
9. Oil Creek near Titusville, Pennsylvania as it looks today 8
10. Edwin L. Drake (right) and his good friend Peter Wilson, a Titusville pharmacist, in front of the historic Drake well in 1861 9
11. Patillo Higgins 11
12. Anthony Lucas, mining engineer at Spindletop 11
13. Wall cake stabilizes the drilling hole 12
- 14a. The 1901 Lucas well is estimated to have flowed about 2 million gallons (7,570 cubic metres) of oil per day. 12
- 14b. Spindletop oilfield in 1903, two years after the first well was drilled 12
15. A cable-tool rig 15
16. A polycrystalline diamond compact bit (PDC) (left) and a tri-cone bit (right) 17
17. The drill stem puts the bit on the bottom of the drilling hole. 17
18. Two floorhands place a joint of drill pipe in the mousehole prior to adding it to the active drill string. 17
19. Components in the rotary table rotate the drill string and bit. 18
20. A powerful motor in the top drive rotates the drill string and bit. 18
21. The bit is rotated by a downhole motor placed near it. 18
22. A pump circulates drilling mud down the drill pipe, out the bit, and up the hole. 19
23. Two pumps are available on this rig to move drilling fluid down the pipe. 19
24. Drilling mud 20
25. A land rig 21
26. An offshore jackup rig 21
27. An inland barge rig 21
28. Rigs can be disassembled and moved piece-by-piece to a new location. 23

29. Types of MODUs 23
30. The first MODU was a posted-barge submersible designed to drill in shallow water. 25
31. When the bottles are flooded, the weight makes the bottle-type rig sink to the seafloor. 25
32. Ice floes on the North Bering Sea 26
33. A concrete island drilling system (CIDS) features a reinforced concrete caisson. 26
34. Drilling equipment is placed on the deck of a barge to drill in the shallow waters of bays and estuaries. 27
35. Four boats tow a jackup rig to its drilling location. 28
36. A jackup rig with four column-type legs 28
37. A jackup with open-truss legs 29
38. The hulls of these jackups are raised to clear the highest anticipated waves. 29
39. A semisubmersible rig floats on pontoons. 30
40. The heavy lift vessel, Blue Marlin, transporting BP's semisubmersible, Thunder Horse 31
41. The pontoons of this semisubmersible float a few feet (metres) below the water's surface. 31
42. The main deck of a semisubmersible is huge. Shown here is the deck of the BP Thunder Horse. 32
43. Pathfinder 10,000-foot ultradeepwater drillship 33
44. Marine riser 34
- 45a. The heave compensator keeps proper tension on the drill string. 35
- 45b. Heave compensator 36
46. Workers on a drilling rig 37
47. U.S. Department of Interior Mineral Management Service map of proposed sale of government mineral leases in 2001 38
48. IADC standard drilling bid form 41
49. A computer display showing a well log 42
50. A member of a casing crew stabs one joint of casing into another. 43
51. Personnel on this offshore rig enjoy good food in the galley. 43
52. A driller on an offshore rig works in an environmentally controlled cabin. 45
53. The view from above the derrickman's position on the monkeyboard 46
54. A derrickman checking the weight or density of the drilling mud 47
55. Floorhands latch big wrenches called tongs onto the drill pipe. 48
56. Floorhands using power tongs to tighten drill pipe 49
57. Roustabouts move casing from a supply boat to the rig. 52

-
58. A crane operator manipulates controls from a position inside the crane cab. 53
 59. A barge engineer monitors a semisubmersible's stability from a work station on board the rig. 53
 60. BP's Thunder Horse listing in the Gulf of Mexico after a storm 54
 61. Arctic Discoverer LNG transport ship 56
 62. A pore is a small open space in a rock. 58
 63. A cross-section showing pore space and the small connections between larger pores 58
 64. Connected pores give rocks permeability. 59
 65. A fault trap and an anticlinal trap 61
 66. Types of stratigraphic traps 63
 67. A combination trap 64
 68. A piercement salt dome 64
 69. To the right of the tire, a large heavy plate vibrates against the ground to create sound waves. 66
 70. Several special trucks vibrate plates against the ground. 66
 71. Fugro Explorer seismic vessel 67
 72. Stuck into the ground, a geophone picks up reflected sound waves. 67
 73. iZone Virtual Reality room at EPI Centre in Rijswijk, the Netherlands, 2008 68
 74. Geologists working at a prospective petroleum area at the Peel Plateau in the Yukon 71
 75. A reserve pit 74
 76. Typical onshore layout of a drilling location 75
 - 77a. Pit cleaning with Super Vac units 76
 - 77b. Reserve pit cleanup and removal 76
 78. A concrete pad to support the substructure surrounds this cellar. 77
 79. The kelly has been placed in the rathole when the rig is not drilling. 78
 80. A joint of drill pipe rests in this rig's mousehole. 79
 81. A rathole rig drills the first part of the hole. 80
 82. The conductor hole 80
 83. The large diameter pipe to the right is the top of the conductor pipe. 81
 84. A portable shallow oil drilling rig 83
 - 85a. A heavy lift vessel carries a semisubmersible to a new drilling location. 84
 - 85b. The Black Marlin heavy lift vessel transporting the Nautilus rig 84
 86. A box-on-box substructure 86
 87. A slingshot substructure is shown in folded position prior to being raised. 87

88. The slingshot substructure near its full height 87
89. This drawworks will be installed on the rig floor. 88
90. The drilling line is spooled onto the drawworks drum. 88
91. A mast being raised to a vertical position 89
92. This rig with a standard derrick was photographed in the 1970s at work in West Texas. 89
93. The derrick supports the weight of the drill string and allows the drill string to be raised and lowered. 90
94. The doghouse is located at the rig floor level. 91
95. In the foreground is a coal-fired boiler that made steam to power the cable-tool rig in the background. 93
96. A mechanical rig is shown drilling in West Texas in the 1960s. 94
97. Three diesel engines power this rig. 95
98. Three engines drive a chain-and-sprocket compound to power equipment. 96
99. The diesel engine at right directly drives an alternating current electric generator. 97
100. Controls in the SCR house where AC electricity is converted to the correct DC voltage for the many DC motors powering this rig. 98
101. A motor-driven drawworks 98
102. Two powerful electric DC traction motors drive the drawworks on this rig. 99
103. The hoisting system 100
104. The drawworks 101
105. Removing the drawworks housing reveals the main brake bands to the left and right on the hubs of the drawworks drum. 101
106. The electromagnetic brake is mounted on the end of the drawworks. 102
107. A floorhand has a fiber rope wrapped around a friction cathead to lift an object on the rig floor. 102
108. Floorhand using an air hoist to lift an object 103
109. This makeup cathead has a chain coming out of it that is connected to the tongs. 104
110. Wire-rope drilling line coming off the drawworks drum 105
111. Drilling line is stored on this supply reel at the rig. 105
112. Drilling line is firmly clamped to this deadline anchor. 105
113. The sheaves (pulleys) of this crown block are near the bottom of the photo. 106
114. Ten lines are strung between the traveling block and the crown block. 107
115. Several wraps of drilling line on the drawworks drum 107
116. Traveling block and kelly assembly 108
117. The mast supports the blocks and other drilling tools. 109

-
118. A rotary-table system 110
 119. The turntable is housed in a steel case. 111
 120. The master bushing fits inside the turntable. 111
 121. Crewmembers are installing one of two halves that make up the tapered bowl. 112
 122. Crewmembers set slips around the drill pipe and inside the master bushing's tapered bowl to suspend the pipe. 113
 123. The master bushing has four drive holes into which steel pins fit on the kelly drive bushing. 113
 124. A master bushing with a square bottom that fits into a square opening in the master bushing 113
 - 125a. A square kelly 114
 - 125b. A hexagonal kelly 114
 126. A hexagonal kelly inside a matching opening in the top of the kelly drive bushing 114
 127. The hook on the bottom of the traveling block is about to be latched onto the bail of the swivel. 115
 128. Drilling fluid goes through the rotary hose and enters the swivel through the gooseneck. 116
 129. A top drive, or power swivel, hangs from the traveling block and hook. 117
 130. Mud pressure pumped through the drill string forces the spiral rotor of the mud motor to turn inside the rubber helical-shaped stator. 118
 131. Horizontal hole 119
 132. A downhole motor lying on the rack prior to being run into the hole 119
 133. An adjustable bent housing on the motor deflects the bit a few degrees off-vertical to start the directional hole. 119
 134. Drill collars are placed on the pipe rack prior to being run in the hole. 120
 135. Drill collars put weight on the bit, which forces the bit cutters into the formation to drill it. 120
 136. Several joints of drill pipe are placed on the pipe rack before being run in the well. 121
 137. A floorhand stabs the pin of a joint of drill pipe into the box of another joint. 121
 138. Two drill collars on a pipe rack; at left is the drill collar box; at right is the pin 122
 139. Drill collars racked in front of drill pipe on the rig floor 122
 140. A roller cone bit has teeth (cutters) that roll, or turn, as the bit rotates. 123
 141. Tungsten carbide inserts are tightly pressed into holes drilled into the bit cones. 123
 142. Drilling fluid (salt water in this photo) is ejected out of the nozzles of a roller cone bit. 123
 143. Bit cutaway showing internal bearing 124

144. Several types of natural diamond bits are available. 125
145. Several diamond-coated tungsten carbide disks (compacts) form the cutters on this polycrystalline diamond compact (PDC) bit. 125
146. Drilling mud swirls in one of several steel tanks on this rig. 126
147. A derrickman measures the density (weight) of a drilling mud sample using a balance calibrated in pounds per gallon. 127
148. Powerful mud pumps (most rigs have at least two) move drilling mud through the circulating system. 129
149. Components of a rig circulating system 129
150. The standpipe runs up one leg of the derrick, or mast, and conducts mud from the pump to the rotary hose. 130
151. Mud with cuttings falls over the vibrating shale shaker screen. 131
152. Desanders remove sand-sized particles from the mud. 131
153. Desilters remove smaller silt-sized particles from the mud. 131
154. The degasser removes a relatively small volume of gas that enters the mud from a downhole formation and is circulated to the surface in the annulus. 132
155. A centrifuge removes particles even smaller than silt. 132
156. A mud cleaner is used for mud weighted with barite. 133
157. Bulk barite tanks with bagged chemicals in the foreground 133
158. A derrickman, wearing personal protective equipment, adds dry components to the mud through a hopper. 134
159. A closed-top chemical barrel for adding caustic chemicals to the mud in the tanks 134
160. Typical wellbore architecture 135
161. A bit being lowered into the hole on a drill collar 136
162. A kelly with related equipment in the rathole 137
163. Red-painted slips with three handgrips suspend the drill string in the hole. 137
164. The kelly drive bushing is about to engage the master bushing on the rotary table. 138
165. The motor in the top drive turns the drill stem and the bit. 138
166. The black inner needle on the weight indicator shows the weight suspended from the derrick in thousands of pounds. 139
167. The kelly is drilled down (close to the kelly drive bushing), and it is time to make a connection. 139
168. Using the traveling block, the driller raises the kelly, exposing the first joint of drill pipe in the opening of the rotary table. 140

-
169. Crewmembers latch tongs on the kelly and on the drill pipe. 141
 170. The kelly spinner rapidly rotates the kelly in or out of the drill pipe joint. 142
 171. Crewmembers stab the kelly into the joint of pipe in the mousehole. 143
 172. Crewmembers use tongs to buck up (tighten) one drill pipe joint to another. 144
 173. Crewmembers remove the slips. 145
 174. The kelly drive bushing is about to engage the master bushing. 145
 175. Making a connection with a kelly 145
 176. Making a connection using a top drive 146
 177. An Iron Roughneck™ spins and bucks up joints with built-in equipment. 147
 178. The kelly and swivel with its bail are put into the rathole. 148
 179. Crewmembers latch elevators to the drill pipe tool joint suspended in the rotary table. 149
 180. The floorhands set the lower end of the stand of pipe off to one side of the rig floor. 150
 181. The derrickman places the upper end of a stand of drill pipe between the fingers of the fingerboard. 151
 182. Making a trip 152
 183. Top view of an automatic pipe handling device manipulating a stand of drill pipe 153
 184. A casing crewmember cleans and inspects the casing as it lies on the rack next to the rig. 154
 185. Casing threads have been cleaned and inspected. 154
 186. A joint of casing being lifted onto the rig floor 155
 187. A joint of casing suspended in the mast; note the centralizer 155
 188. Casing elevators suspend the casing joint as the driller lowers the joint into the casing slips. 155
 189. Working from a platform called the stabbing board, a casing crewmember guides the casing elevators near the top of the casing joint. 156
 190. Crewmembers lift the heavy steel-and-concrete guide shoe. 157
 191. The guide shoe is made up on the bottom of the first joint of casing to go into the hole. 157
 192. Cementing the casing: (A) the job in progress; (B) the finished job 157
 193. Crewmembers install a float collar into a casing string. 157
 194. Scratchers and centralizers are installed at various points in the casing string. 158
 195. Top view of casing that is not centered in the hole. 158

- 196. A cementing head (plug container) rests on the rig floor, ready to be made up on the last joint of casing to go into the hole. 159
- 197. To trip in, crewmembers stab a stand of drill pipe into another. 160
- 198. After stabbing the joint, crewmembers use a spinning wrench to thread the joints together. 161
- 199. After spin up, crewmembers use tongs to buck up the tool joints to the correct torque. 161
- 200. A handful of cuttings made by the bit 163
- 201. Mud log section showing a formation that contains hydrocarbons 165
- 202. Logging personnel run and control logging tools by means of wireline from a logging unit. 166
- 203. A well-site log is interpreted to give information about the formations drilled. 167
- 204. Drill stem test tools 168
- 205. A successful DST 169
- 206. Repeat formation tester (RFT) tool 169
- 207a. A whole core barrel 170
- 207b. Sidewall coring device 170
- 208. A. An oil-saturated whole core from a South Texas well;
B. Sidewall cores 171
- 209. This collection of valves and fittings is a Christmas tree. 173
- 210. Subsea wellheads 174
- 211. A coiled-tubing unit runs tubing into the well using a large reel. 175
- 212. Perforations (holes) 176
- 213. Shaped charges in a perforating gun make perforations. 176
- 214. A gravel pack 178
- 215. Several directional wells tap an offshore reservoir. 179
- 216. An overshot 181
- 217. A. The spear goes inside the fish in a released position.
B. Once in position, the spear is set and the fish is removed. 182
- 218. Fluids erupting from underground caught fire and melted this rig. 183
- 219. A stack of BOPs installed on top of the well 185
- 220. Ram cutaway 185
- 221. A subsea stack of BOPs being lowered to the seafloor from a floating rig 186
- 222. Several valves and fittings make up a typical choke manifold. 186
- 223. A remote-controlled choke installed in the choke manifold 187
- 224. This control panel allows an operator to adjust the size of the choke. 187

Tables

1. Land Rigs Classified by Drilling Depth 22
2. Types of MODUs 24
3. IADC Annual Work Time and Accident Statistics 189