

Contents

1. FUNCTIONS AND COMPOSITION OF DRILLING FLUIDS	1
<i>Principal Functions of Drilling Mud</i>	1
Keeping the hole free of cuttings—Overcoming gas, oil, and water flows—Preventing the walls from caving—Cooling the bit and lubricating the drill string—Securing proper information from the well.	
<i>Relationship Between Functions, Composition and Properties of Drilling Fluid</i>	2
The composition of water base drilling: a simple three-part system—Make-up water—The nature of clays and shales—Yield of clay and shale—Making mud	
2. FIELD TESTS OF DRILLING FLUIDS.	5
<i>Density or Mud Weight Tests</i>	5
The mud balance	
<i>Tests for Viscosity and Gel Properties</i>	9
Marsh funnel—Direct-indicating viscometer	
<i>Filtration and Wall Building Tests.</i>	12
Low temperature test—High temperature test	
<i>Sand Content Determination</i>	13
<i>Determination of Solid and Liquid Content—Oil Content of Emulsion Muds</i>	14
Distillation of oil and water—Estimation of composition of solids	
<i>pH Determination</i>	15
The colorimetric method—The electrometric method	
<i>Filtrate Analysis.</i>	16
Alkalinity determinations—Lime content estimation—Salt concentration (chloride) test—Preservative concentration—Tests for hardness and calcium concentration—Calcium sulfate—Estimation of calcium by oxalate—Versenate test for hardness—Versenate test for calcium—Estimation of sulfate by barium chloride—The Photo Tester—Methylene blue test for cation exchange capacity.	
<i>Resistivity</i>	22
Equipment—Procedure	
<i>Electrical Stability of Emulsions</i>	23
Equipment—Procedure	
<i>Treatment of Make-up Water</i>	23
<i>Pilot Testing</i>	24
3. DRILLING FLUID CIRCULATING SYSTEMS AND AUXILIARY EQUIPMENT	25
MAIN COMPONENTS OF A MUD SYSTEM	25
<i>Mud Pumps</i>	25
<i>Hose, Swivel, and Mud Return</i>	27
<i>Mud Return Line</i>	27
<i>Pits</i>	28

ACCESSORY EQUIPMENT.	30
<i>Chemical Tank</i>	30
<i>Mixing Hopper</i>	30
<i>Mud Storage</i>	31
AUXILIARY EQUIPMENT	32
<i>Shale Shakers and Vibrating Screens</i>	32
<i>Mud Guns</i>	33
<i>Paddle Agitators</i>	33
<i>Cone-Type Desanders and Desilters</i>	34
<i>Centrifuges</i>	36
Decanting centrifuge—Concentric cylinder centrifuge	
<i>Mud-Gas Separator</i>	38
<i>Degasser</i>	39
<i>Mud Handling Pumps</i>	40
<i>Instrumentation</i>	40
Mud pit indicators and totalizers—Mud weight indicators—	
Mud flow meters—Pump stroke counters	
4. COMMON DRILLING AND DRILLING FLUID PROBLEMS.	43
<i>Mud Records</i>	43
<i>Shale Problems</i>	43
Mechanical factors in shale problems—Shale types and	
contained clays—Effect of geology on shale problems—	
Effect of compaction on shale pore pressure—Causes of	
shale instability—Shale stabilization with oil mud—Shale	
stabilization with water base mud—Conclusion.	
LOST CIRCULATION	48
<i>Formations Subject to Lost Circulation</i>	48
Cavernous and open-fissured formations—Coarsely permeable	
formations—Natural or intrinsic fractured formations—Easily	
fractured formations.	
<i>Lost Circulation Materials</i>	50
<i>Procedures for Lost Circulation</i>	50
<i>Locating Lost Returns Zone</i>	51
Temperature survey—Spinner survey—Radioactive tracer	
survey—Hot wire survey—Pressure transducer survey	
HIGH BOTTOM HOLE TEMPERATURES.	52
FORMATION PRESSURE CONTROL.	53
<i>Porosity Data as an Index of High Pressure Shales</i>	54
<i>Hydrostatic Pressure and Effective Circulating Density</i>	55
<i>Recognizing the Kick</i>	56
Well kicks while circulating—Well kicks when pump is shut	
down—Well kicks when coming out of the hole—Well kicks	
when going into the hole.	
<i>Bottom Hole Pressure Reduction from Gas Expansion</i>	57
<i>Blowout Prevention Procedures</i>	58
Constant bottom hole pressure method—Drillers method	
<i>Corrosion</i>	63
Oxygen—Carbon dioxide—hydrogen sulfide	
5. WIDELY USED DRILLING FLUIDS.	67
<i>Classification of Drilling Fluids</i>	67
Water base fluids—Oil base fluids—Gaseous fluid	

CONDITIONING WATER BASE DRILLING FLUIDS	67
<i>Additives</i>	67
<i>Treatment Terminology</i>	68
Mud-up—Weight-up—Thin—Water-back—Emulsify	
<i>Control of Mud Weight</i>	68
<i>Control of Viscosity and Gel Strength</i>	70
<i>Control of Filtration or Water Loss</i>	71
<i>pH Control</i>	71
<i>Treatment for Contamination</i>	72
Cement contamination—Anhydrite and gypsum	
contamination—Salt contamination.	
<i>Safety Precautions</i>	73
WATER BASE DRILLING FLUIDS.	74
<i>Inhibited Muds</i>	74
<i>Spud Mud</i>	75
<i>Natural Muds</i>	75
<i>Phosphate Treated Muds</i>	76
<i>Wood and Bark Extract Treated Muds</i>	76
<i>Chrome Lignosulfonate Muds</i>	76
Viscosity—Gel strength—Filtration.	
<i>Calcium Treated Muds</i>	78
<i>Saltwater Muds</i>	79
<i>Seawater Muds</i>	79
<i>Saturated Saltwater Muds</i>	80
<i>Oil-Emulsion Muds</i>	81
Emulsifying agents for emulsion muds—Oils for emulsion	
muds—Preparation and maintenance of emulsion muds.	
<i>Surfactant Muds</i>	83
<i>Low Solids Fluids</i>	83
Clear water—Low solids oil-in-water emulsions—Polymer	
muds—Low solids non-dispersed aggregated muds—Low clay	
solids muds—Mud solids control by centrifugal methods.	
OIL BASE AND INVERT EMULSION DRILLING FLUIDS	87
<i>Osmotic Effects</i>	87
<i>Composition of Oil Muds</i>	88
<i>Carrying Capacity and Solids Suspension</i>	88
<i>Filtration Control</i>	89
<i>Weighting Material and Thinners</i>	89
<i>Testing and Maintenance of Oil Muds</i>	89
Funnel viscosity—Water content—Electrical stability—Aging	
tests—Contaminants.	
<i>Special Rig Equipment and Displacement Techniques</i>	90
<i>Logging in Oil Muds</i>	90
<i>Mud Logging</i>	91
<i>Oil Muds and Lost Circulation</i>	91
<i>Application of Oil Muds</i>	91
AIR AND GAS DRILLING FLUIDS	92
<i>Introduction</i>	92
<i>Air/Gas Drilling Techniques</i>	92
Dusting-Mist drilling—Aerated muds.	
6. PACKER FLUIDS	99

<i>Solids-Free Liquid</i>	99
Sodium chloride—Sodium chloride-soda ash—Calcium chloride—Calcium chloride-sodium chloride—Calcium chloride-zinc chloride.	
<i>Water Base Muds</i>	101
Drilling mud—Gel-CMC packer mud.	
<i>Oil Muds</i>	101
<i>Placement of Special Packer Fluids</i>	102
7. DRILLING FLUID PRACTICES IN THE GULF COAST OF TEXAS AND LOUISIANA	103
<i>Mud and Casing Programs</i>	103
<i>Muds for Normal-Pressure Drilling</i>	104
<i>Muds for Abnormally High Pressures</i>	104
<i>High Formation Temperatures</i>	105
<i>Shallow Blowout Hazard</i>	105
<i>Salt-Dome Drilling</i>	106
<i>Offshore and Bay Drilling Muds</i>	107
<i>Lost Circulation</i>	107
8. DRILLING FLUID PRACTICES IN THE ARK-LA-TEX AND MISSISSIPPI AREA	109
<i>General Considerations</i>	114
<i>Mud Types and Treatment</i>	114
Native and gel muds—Lignosulfonate muds—Calcium and salt muds—Oil muds—Workover fluids.	
<i>Drilling Hazards</i>	114
Lost circulation—Abnormal pressure—Shales and mud-making formations—High temperature—Hydrogen sulfide.	
9. DRILLING FLUID PRACTICES IN WEST TEXAS AND NEW MEXICO.	117
<i>General Considerations</i>	117
Salt—Red beds—Solids control—Lost circulation—Under-balanced drilling—Hole stability—Oil mud—Corrosion—Air and gas drilling.	
EASTERN SHELF.	121
MIDLAND BASIN	122
<i>Shallow Well Casing Program</i>	122
Surface casing—Production string.	
<i>Shallow Well Fluid Program by Casing Interval</i>	122
Surface to 150 feet to 300 feet—Surface casing to T. D.	
<i>Medium Depth Casing Program</i>	122
Surface casing—Production casing.	
<i>Medium Depth Fluid Program by Casing Interval</i>	122
Surface to 1,400 feet to 2,100 feet—Surface casing to T. D.	
<i>Deep Hole Casing Program</i>	123
Surface casing—Intermediate casing—Production casing.	
<i>Deep Well Fluid Program by Casing Interval</i>	123
Surface to 150 feet to 300 feet—Surface casing to 4,000 feet to 5,500 feet—Intermediate casing to T. D.	
<i>Spraberry Field Casing Program</i>	123
Surface casing—Production casing.	

<i>Spraberry Field Fluid Program by Casing Interval</i>	124
Surface to 300 feet to 350 feet—Surface casing to T.D.	
CENTRAL BASIN PLATFORM.	124
<i>Casing Programs</i>	124
<i>Drilling Fluid Programs and Practices.</i>	125
NORTHWESTERN SHELF	126
<i>Casing Depths and Formations.</i>	126
<i>Drilling Fluids by Casing Intervals.</i>	126
Surface to 150 feet to 400 feet—Surface to 1,800 feet to 2,200	
feet—Surface casing to 4,000 feet to 5,000 feet intermediate	
casing—Surface casing to 6,000 feet to 7,000 feet production	
casing—Intermediate casing to 8,000 feet to 15,000 feet	
production casing.	
DELAWARE BASIN	127
<i>Casing Program</i>	128
Surface casing—Intermediate casing—Second intermediate	
or protection liner—Production casing.	
<i>Drilling Fluid Program by Casing Interval</i>	128
Surface to 400 feet to 2,500 feet—Surface casing to 9,000 feet	
to 13,000 feet—Intermediate casing to 12,000 feet to 18,500	
feet—Second intermediate or protection liner to total depth.	
VAL VERDE BASIN	129
<i>Casing Program</i>	129
<i>Mud Program</i>	130
MARFA BASIN	131
MARATHON-OUACHITA THRUST	131
10. DRILLING FLUID PRACTICES IN THE MID-CONTINENT,	
NORTH TEXAS, OKLAHOMA AND KANSAS.	133
NORTH TEXAS DRILLING MUD PRACTICES.	133
<i>Geological Considerations and General Nature of the Mud Problem</i> . . .	133
<i>Eastern Section</i>	134
Cooke and Grayson Counties—Clay, Montague, Wise and Jack	
Counties—Archer, Wichita, Wilbarger, and Young Counties.	
WESTERN SECTION	135
OKLAHOMA DRILLING MUD PRACTICES	137
<i>Southern Oklahoma—Marietta Syncline and Southern Ardmore Basin</i> .	137
<i>Eastern Oklahoma—Arkoma Basin</i>	138
<i>Western Oklahoma—Anadarko Basin.</i>	138
General mud programs—Deep Simpson-Ordovician—	
Western and west central—Eastern shelf—Western shelf—	
Oklahoma Panhandle—Cimarron uplift—Texas and Beaver	
Counties—Texas Panhandle.	
KANSAS DRILLING MUD PRACTICES	143
<i>Central Kansas Uplift.</i>	143
<i>South Flank of Central Uplift.</i>	143
<i>North Extension of the Anadarko Basin.</i>	143
<i>Forest City and Salina Basin</i>	144
<i>Cambridge Arch.</i>	144
<i>East Flank of the Los Animas Arch.</i>	144
<i>Shale Dispersion.</i>	144

<i>Corrosion</i>	144
11. DRILLING FLUID PRACTICES IN THE ROCKY MOUNTAIN AREA, INCLUDING THE WILLISTON BASIN.	145
BASINS WITHIN THE ROCKY MOUNTAINS	145
<i>Wyoming Area</i>	145
WILLISTON BASIN	148
<i>Central Basin and Nesson Anticline</i>	148
<i>Cedar Creek Anticline and Eastern Montana</i>	149
<i>Eastern Basin Area</i>	149
<i>South Dakota</i>	149
UINTA BASIN (UTAH)	149
12. DRILLING FLUID PRACTICES ON THE PACIFIC COAST	151
DRILLING FLUID PRACTICES IN THE LOS ANGELES BASIN	151
Surface zone—Intermediate zone.	
<i>Production Zone Completion Fluids</i>	154
<i>Special Purpose Muds</i>	155
<i>Mud Disposal</i>	155
DRILLING FLUID PRACTICES—COASTAL AREA	155
<i>Santa Maria Basin</i>	155
<i>Ventura Basin</i>	155
Ventura Avenue Field—San Miguelito Field—Oxnard area— Santa Paula area—Castaic area.	
CALIFORNIA OFFSHORE OPERATIONS	157
DRILLING FLUID PRACTICES—CENTRAL SECTION	157
Geologic formation in San Joaquin Valley—Mud practices in the San Joaquin Valley—San Joaquin Valley completion fluids—Sacramento Valley—Sacramento Valley mud practices—Sacramento Valley completion fluids.	
DRILLING FLUID PRACTICES IN WASHINGTON, OREGON, AND SOUTHWESTERN BRITISH COLUMBIA	159
<i>Washington Coastal Region</i>	159
<i>Central Washington-Cowlitz Basin</i>	160
<i>Eastern Washington</i>	161
<i>Oregon</i>	161
<i>Southwestern British Columbia, Canada</i>	161
13. DRILLING FLUID PRACTICES IN ALASKA	163
<i>Cook Inlet</i>	163
Mud properties in the Cook Inlet Basin—Casing practices.	
<i>North Slope</i>	163
<i>Gulf of Alaska</i>	166
<i>Bristol Bay</i>	166
14. DRILLING FLUID PRACTICES IN CANADA	167
<i>Geology</i>	167
<i>Pressure and Temperature Gradients</i>	170
<i>Types of Drilling Muds Used in Canada</i>	170
Surface hole—Below surface casing	
<i>Drilling Mud Problems</i>	172
Lost circulation—Bad make-up water—Shallow gas bearing	

formations—Mud rings—Sloughing shales—Anhydrite— Salt—Other mud problems.	
<i>Recent Mud Practices</i>	174
<i>Northwest Territories</i>	175
<i>East and West Coastal Regions</i>	176
15. DRILLING FLUID PRACTICES IN THE NORTH SEA	177
<i>Surface to 100 Feet (Outside Conductor Casing Point)</i>	177
<i>To 1,000 Feet–1,500 Feet (Conductor Casing Point)</i>	177
<i>Conductor Casing Point to Next Casing Point—4,000 Feet to 5,000 Feet</i>	177
<i>From Casing Point to T.D.</i>	179
16. DRILLING FLUID PRACTICES IN ALGERIA	181
17. ENGINEERING DATA AND CALCULATIONS USED IN MUD WORK.	185
<i>Volume of Mud in System</i>	185
Volume of mud pit—Capacity of hole.	
<i>Pump Output and the Mud Cycle</i>	185
<i>Annular Velocity</i>	187
<i>Quantities and Volumes of Materials</i>	188
Increase in weight—Increase in volume from additions of weight material—Weight increase using clay—Volume increase using clay—To determine quantity of water necessary to obtain a given weight reduction—Oil addition to give a desired percent oil—Solids determination—Calculation of percent solids by volume on muds containing no barites	
<i>Circulating and Static Well Pressures</i>	191
<i>Equations Involved in Blowout Preventions</i>	192