

Contents



Figures	v
Foreword	ix
Preface	xi
Acknowledgments	xiii
Units of Measurement	xiv
Holding Floating Vessels	i
Early Mooring Systems	1
Offshore Environments	9
Mooring Patterns	11
Principles of Mooring Systems	12
Anchor Holding Power	12
Catenary Curves	14
To summarize	19
Components of Mooring Systems	21
Mooring Line Arrangements	21
Types of Anchors	23
Stud-Link Chain	30
Wire Rope	35
Connecting Elements	41
Chain Fittings	42
Wire Rope Fittings	44
Storing the Rope	46
Types of Winches	47
Pulling In and Running Out Chain	50
Windlass Components	51
Measuring Mooring Line Tension	53
Chain Tension Measurements	53
Wire Rope Tension Measurements	56
Pulling and Lowering Anchors	57
Anchor-Handling Boats	59
To summarize	62
Placing and Recovering Moorings	63
Planning a Successful Mooring Operation	63
Moving Onto Location	65
Running Out an Anchor	66
Setting an Anchor	68
Preloading and Pretensioning Anchor Lines	69
Piggybacking Anchors	69
Adjusting Mooring Systems in Rough Weather	70
Pulling an Anchor	70

Moving Off Location	73
To summarize	78
References	79
Appendix	81
Glossary	87
Review Questions	91
Index	95
Answers	101

<i>Frontispiece.</i>	Mooring system	xvi
1.	Anchors of historical interest	2
2.	KFELS drilling tender rig	4
3.	Eight-line spread mooring system	5
4.	Loads and environmental forces on a semisubmersible drilling rig	6
5.	Drillship arrangement of mooring lines and drilling assembly	7
6.	A closeup view of dynamic positioning system controls	8
7.	Turret-type mooring arrangement	9
8.	Wellhead flexible connection, connector, and blowout preventer arrangement	10
9.	Typical spread mooring patterns	11
10.	Basic-type anchor with identified parts	13
11.	Anchor behavior dependent on bottom conditions	13
12.	Catenary curve	14
13.	Parameters required to calculate mooring line tension	15
14.	Environmental force applied to a semisubmersible	17
15.	Restoring forces for a semisubmersible due to horizontal displacement from the well	17
16.	Combination wire rope and chain mooring line	18
17.	Anchor chain mooring line and related equipment	22
18.	Combination wire rope and anchor chain mooring line	22
19.	U.S. Navy Lightweight (LWT) anchor	23
20.	Danforth® anchor, lightweight type	23
21.	STATO mooring anchor	24
22.	Moorfast anchor	24
23.	Offdrill II anchor	25
24.	BOSS anchor	25
25.	Delta Anchor™	26
26.	Bruce® anchor	26
27.	(a) Stevpris Mk6™ anchor; (b) The Stevpris anchor is extremely large and powerful, as pictured in this comparison to the size of an average crewmember.	27
28.	Stevshark™ anchor	27
29.	Stevmanta VLA™ (Vertically Loaded Anchor)	28
30.	Pile-type anchors	29
31.	Link of a stud-link anchor chain	30
32.	Di-Lok stud-link chain manufacturing process	31
33.	Wire rope fabrication terminology	36
34.	Classifications of wire rope	37
35.	Kenter connecting link	42
36.	Baldt detachable chain connecting link	42
37.	Baldt detachable anchor connecting link	42
38.	Baldt swivels and end shackles	43
39.	Pelican hook-type chain stopper	43
40.	Ulster (pawl)-type chain stopper	43
41.	Wire rope fittings	44

Figures



- 42. Wire rope thimble 45
- 43. Dual-drum winch 46
- 44. Mooring equipment on the bow section 47
- 45. The main anchor-handling winch can pull up to 700 tons. 48
- 46. The anchor-handling winch extends from between two vertical rollers, or spooling devices, that can be moved from side to side by means of hydraulics to correctly place the wire on the winch drum. 48
- 47. Wire rope winding procedures 49
- 48. Chain can be guided from the wheel into the chain locker for storage. 50
- 49. Heavy rig mooring chain being lowered into the chain locker for storage 50
- 50. Windlass wildcat and chain-handling equipment 51
- 51. Suggested procedure for checking fit between chain and wildcat 52
- 52. One arrangement for measuring chain line tension 53
- 53. Another arrangement to measure chain line tension 54
- 54a. Swivel fairlead for anchor chain 55
- 54b. Fair lead block and stopper line 55
- 55. Three-sheave wire line tension-measuring device 56
- 56. Spring buoy holds the lower end of pendant line taut 57
- 57. Yellow buoys being transported for offshore operations 58
- 58. A closeup view of a large yellow buoy on deck 59
- 59. Anchor-handling vessel adjacent to offshore rig 60
- 60. Deck equipment arrangement for anchor handling 61
- 61. Crewmembers must fully understand all mooring equipment and procedures to conduct safe, efficient mooring operations. 64
- 62. Attachment locations for pendant lines to main deck 65
- 63. Mooring pattern and sequence of setting and retrieving anchors 65
- 64. Sequence for properly setting anchor from the anchor-handling boat 68
- 65. Piggybacking anchors 69
- 66. Heave of the anchor-handling boat 71
- 67. A 16-ton (14.51 tonne) Stevpris anchor lifted on board from the seabed 72
- 68. The vessel at left is approaching the rig to pick up the chaser wire. 73
- 69. Up close to the rig, the chaser wire has been locked in the shark jaws and the vessel's work wire will be connected to the end of the chaser wire before chasing out begins. 74
- 70. Having chased out the anchor and pulled it on board, the work wire is disconnected from the chaser wire. 74
- 71. A Stevpris anchor fresh up from the seabed 75

- 72. With the anchor chain pulled off the anchor, the anchor is towed with winches and stored until it is deployed at the oil rig's new drilling site. 75
- 73. A typical anchor-handling operation: an oil rig mooring anchor is hauled up on deck; but here, the anchor chain should be laying on top of the anchor instead of beneath it, emphasizing that several factors have to be right for an anchor to be retrieved correctly. 76
- 74. Ready to move on, crewmembers prepare to tow the oil rig with one of its anchor chains. 76
- 75. The supply vessel is slowly towing the oil rig to a new location. 77

- 1 Di-Lok chain dimensions and test requirements 32
- 2 Flash-butt welded chain dimensions and test requirements 33
- 3 6 x 19 Classification wire rope, galvanized, independent wire rope core 38
- 4 6 x 37 Classification wire rope, bright (uncoated) or drawn-galvanized wire, independent wire rope core 39

Tables

